

wifag//polytype group

# Postwashing Machines



for washing monoblock aerosol cans  
and bottles made of aluminium or  
steel after necking

mall//herlan

# Energy-saving and economic postwashing by mall//herlan



## Optional extras

- // Preparation of outfeed conveyor for palletizer or packer connection
- // Particle filter system
- // Detergent dosing by means of conductivity metering and dosing pump
- // Electrically heated drying oven
- // Heat exchanger with regulating circuit for bath area

## Postwashing machine

Especially in bottle and steel can production lines a postwashing machine is obligatory to wash off lubricants after necking. Our customized postwashing machines are equipped with a patented spraying system to ensure low water consumption. A bypass function for the transport without washing/rinsing is included as standard.

## Technical data postwashing machines

Type	PWM 45	PWM 55	PWM 66	PWM 80	PWMx 45	PWMx 55	PWMx 66
Max. diameter mm	45	55	66	80	45	55	66
Max. speed cpm	200	200	200	180	250	250	250
Chain pitch	3 x 3/4"	4 x 3/4"	5 x 3/4"	6 x 3/4"	3 x 3/4"	4 x 3/4"	5 x 3/4"
Number of washing / rinsing cabins	2	2	2	2	2	2	3 (4)

### Special features

- // Stainless steel design, cabins equipped with windows
- // Washing of the cans/bottles in the first washing/rinsing cabin
- // Rinsing of the cans/bottles in the following rinsing cabins
- // All cabins equipped with a patented spraying system with low water consumption
- // Electrically heated tank for the first washing/rinsing cabin equipped with pumps, level control and temperature regulation
- // Dripping area after washing, vertically arranged pins and drying blades
- // Automatic level control of the tanks, equipped with safety unit against water shortage, temperature monitoring unit
- // Stainless steel tank for collecting the dripping water below the washing machine
- // Drying of the cans/bottles in the gas heated oven, low-energy design
- // Chain guides made of PTFE (Teflon)
- // Additional blowing nozzles for drying the interior and the rim of the cans/bottles
- // Reliable system for sucking off the oven exhaust air

**Mall + Herlan GmbH**  
Wöschbacher Strasse 33  
DE-76327 Pfinztal

Phone +49 721 946 010  
Fax + 49 721 946 01 99

info@mall-herlan.com  
www.wifag-polytype.com

**Mall Herlan MB GmbH**  
Neuhausen ob Eck/Germany