

DigiBottle



The digital printing machine
for round bottles

The new way of decoration

//Efficiency

- // Changeover times reduced to near zero
- // Printing of single bottle production and long production runs on same machine
- // Cost-effective for small or large runs
- // Increase of production output
- // Significant reduction of startup and running waste

// Cost-effective for small batches

//Print Quality

- // Extremely high print quality comparable to Label decorating
- // Flexibility in selection of the print design
- // White available for clear and colored containers
- // Glossy effect

// Photo realistic graphics

//Easy to use

- // Reduction of process steps
- // Only 5 inks to handle (CMYK and white)
- // Quality not dependent on operator skill
- // Consistent print quality from beginning to end

// Computer to product

//Variable data


- // Printing variable data «each bottle can be different»
- // Individualization and personalization for marketing opportunities
- // Mass customization at full production speed

// One to one marketing

//New workflow

- // No printing plates
- // Direct from computer to bottle
- // A fast and efficient way for decoration

// Time to market



Always well-rounded



//polytype is the leader in the manufacture of systems for digital printing of bottles.

//polytype machines combine innovative technology with the highest levels of reliability complemented by the most user-friendly operation. Its international customers appreciate the modularity of the design and the expansion opportunities of the machines.

//polytype is part of the Swiss wifag//polytype Group, which operates globally and has branches in Switzerland, Germany, Italy, the USA and Thailand. This alliance gives //polytype access to a broad technology base and guarantees a global and professional partnership for your success.


Control panels

With the layout of the two control panels the operator has full control at their fingertips. One screen controls the machine functions while the second provides full access to art files and job preparation.




Feeding bottles

Feeding can be managed from a horizontal or vertical position.



Bottle loading

Bottle feeding station with a transfer system for the bottle placement in the clamping device with an easy access for size part change.




Bottle take-off system

Following the printing and curing the bottles are safely transferred from the holding device to the conveyor belt.



Final curing

The UV ink curing process is equipped with progressive power control. It was developed for quick lamp changes and ease of maintenance.




Ink mist exhaust system

The ink mist extraction helps provide higher print quality while offering protection for operators and machine.



Surface pre-treatment

To ensure reliable ink adhesion, this station is used to pre-treat the surface of the bottle with gas.




Positioning System

Print can be oriented with a high level of precision by a visual detection system using marks, threads or features.



4-color process printing stations



To make is fast, each of the CMYK colours will be printed separately in one turn. The colour to colour registration is maintained with high precision ensuring a fantastic end result.



White pre-print

When producing transparent or coloured bottles a white base coat may be applied in either a spot method under certain images or overall to the entire surface giving you the flexibility to highlight specific areas of the graphics or the entire container

- // polytype the expert for digital printing machines for containers
- // Over a decade of experience in digital printing
- // Over a century of experience in printing on containers



Technical data

Bottle

Min./max. bottle height:	50-270 mm
Min./max. bottle diameter:	50-130 mm
Printing height (depends on configuration) up to:	210 mm
Colours:	W + CMYK
Resolution, up to*:	720 / 900 / 1200 dpi
Holding devices:	18
Printing speed up to:	100 bottles / min
Weight of main machine:	~ 10000 kg

* depends on bottle geometric and configuration

Polytype AG
26, route de la Glâne
CH-1701 Fribourg/Switzerland

Phone +41 26 426 11 11

info@polytype.com
www.polytype.com

SWITZERLAND

WIFAG-Polytype Holding AG
Fribourg/Switzerland

Polytype AG
Fribourg/Switzerland

AMERICA

Polytype America Corp.
Lincoln Park, NJ/USA

ASIA

Wifag-Polytype India
Marketing Private Ltd.
New Delhi/India

Polytype Asia Pacific Co., Ltd.
Chachoengsao/Thailand

